Data sheet

XL-BOXX ADR

Material no.: 6000013894 | Matchcode: XLB ADR | EAN code: 4045294908409

» Well-thought-out and spacious machine and transport case, compatible with the entire L-BOXX system

» certified dangerous goods container in accordance with ADR

» compatible with Sortimo van racking systems

» includes lid insert

Materials & Colour	
Material:	ABS PA6
Colour:	RAL 7016 Anthracite grey RAL 9017 Traffic black

Dimensions	
External dimensions:	607 x 395 x 179 mm
Internal dimensions:	570 x 347 x 133 mm
Usable space:	0,198 m²

Technical details	
Weight:	3,23 kg
Maximum payload:	25 kg
Maximum lid load:	100 kg
Temperature resistance:	-20 - 80 °C
Water resistance:	IPX4 - Protection against splash water

»mySortimo.com

XL-BOXX ADR

Material no.: 6000013894 | Matchcode: XLB ADR | EAN code: 4045294908409

Conformity

REACH - Conformity:	EG 1907/2006
PAH - Conformity:	EU 1272/2013

Structure & Function

Accessories

	Material no.	Description	Matchcode	EAN code
	6000014074	mySortimo Inlay XL-BOXX ADR 110mm	INLAY XLBOXX ADR	4045295012099
	6000014073	mySortimo Inlay XL-BOXX 110mm	INLAY XLBOXX 110	4045295012075
	6000014068	XL-BOXX Divider-Set	XLB TW SET	404529004650

»mySortimo.com

XL-BOXX ADR

Material no.: 6000013894 | Matchcode: XLB ADR | EAN code: 4045294908409

	Material no.	Description	Matchcode	EAN code
	6000014069	L-BOXX Micro	LB MICRO	4045295004674
	1000011130	Document card L-BOXX G4	LB DK G4	4045294733438
	1000011120	Tool card 1 L-BOXX G4	LB WK1 G4	4045294733346

Spare parts

Material no.	Description	Matchcode	EAN code
6000015439	ET XL-BOXX carry handle black	ET XLB TB SW	4014599062000
6000015440	ET XL-BOXX ADR snap locks l/r.	ET XLB ADR VS	4014599062024

Description

Thanks to its large storage volume, the XL-BOXX ADR is excellent for the transport of machines and tools. Battery-operated cordless tools are now widely used as electrical hand-held power tools. The XL-BOXX ADR is therefore approved as a transport container for the transport of dangerous goods in accordance with the ADR, RID, IMDG Code, UN Recommendations on the Transport of Dangerous Goods, ICAO-TI and IATA-DGR. However, the approval only applies when used in conjunction with the lid insert supplied and a specified foam insert. This can be quickly and simply selected through our *my*Sortimo inlay service and individually adapted to the goods you need to transport. The maximum usable internal dimensions are 525 x 302 x 109 mm³ and the gross weight of the XL-BOXX may not exceed 12.6 kg (≈ 9 kg load).

The concept of the Sortimo Ecosystem is also a top priority with the XL-BOXX. This is particularly evident due to its compatibility with other BOXXes. The entire L-BOXX family can be connected to the XL-BOXX and efficiently transported together. This is possible with Sortimo BOXXes as well as with our partner Hilti's size 20 cases.

»mySortimo.com