


Load securing net ProSafe 200daN, 1025 x 1275

Material no.: 1000004936 | Matchcode: LASIN PS 1025X1275 | EAN code: 4045294515812



- » Particularly suitable for loads that are difficult to secure, odd-shaped or round
- » Tested in accordance with Regulation VDI 2700 Sheet 3.3
- » Load capacity of up to 400 daN
- » Two lashing straps with a clamping lock
- » Shipped in a handy fabric bag

Materials & Colour

Colour: Sortimo Blue, Sortimo CoolGrey

Dimensions

External dimensions: 1.025 x 1.275 x 40 mm

Length in mm: 1025x1275

Technical details

Weight: 0,91 kg

Maximum tensile force in daN: 200

Description

The ProSafe load securing net secures your valuable freight and is especially ideal for hard to secure, irregular or even loads. Thanks to the ProSafe System, the net can be hooked onto the ProSafe interfaces of the Sortimo SR4 and Globelyst4 van racking systems, to ProSafe lashing rails, to the SoboGrip ProSafe floor or even to the vehicle's original lashing points.

The net is extremely sturdy, tear-resistant and is made from high-quality materials, ensuring a very long service life. The mesh size is approx. 100 mm with a strap width of 25 mm. There are two lashing straps with a clamp buckle on the net.

The quality and functionality of the load securing net have been tested and certified by Dekra in compliance with regulation VDI 2700 sheet 3.3. The load capacity of up to 400 daN has been checked by Dekra as part of the certification. You can therefore rely on being able to use the ProSafe load securing net for a long time to come. And what is more, thanks to the flexibility of the ProSafe system you also save a lot of time when securing your load.

Load securing net ProSafe 200daN, 1025 x 1275

Material no.: 1000004936 | Matchcode: LASIN PS 1025X1275 | EAN code: 4045294515812

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 12.08.2025